Author Index

Aattouri, N. and Lemonnier, D. Production of interferon induced by *Streptococcus thermophilus:* role of $CD4^+$ and $CD8^+$ lymphocytes, 25

Abumrad, N.N.: *See* Nissen, S.L., 300

Adhirai, M. and Selvam, R. Protection of cyclosporin A-induced biochemical changes by vitamin E pretreatment in hyperoxaluric rat kidney, 32

Aït-oukhatar, N., Bouhallab, S., Bureau, F., Arhan, P., Maubois, J.-L., Drosdowsky, M.A., and Bouglé, D.L. Bioavailability of caseinophosphopeptide bound iron in the young rat, 190

Åkesson, B., Huang, W., Persson-Moschos, M., Marchaluk, E., Jacobsson, L., and Lindgärde, F. Glutathione peroxidase, selenoprotein P and selenium in serum of elderly subjects in relation to other biomarkers of nutritional status and food intake, 508

Allen, R.H.: *See* Stabler, S.P., 279

Andreola, F.: *See* De Luca, L.M., 426

Arguello, F.: *See* Layrisse, M., 61

Arhan, P.: *See* Aït-oukhatar, N., 190

Asagi, K.: *See* Oka, T., 211

Askew, E.W.: *See* Lieberman, H.R., 119

Ayala, M.T.: *See* Fernandez, M.L., 414

Baron, M.A.: *See* Layrisse, M., 61

Behall, K.M.: *See* Hallfrisch, J., 497

Behrens, W.: *See* Hidiroglou, N., 392

Belury, M.A., Moya-Camarena, S.Y., Liu, K.-L., and Vanden Heuvel, J.P. Dietary conjugated linoleic acid induces peroxisome-specific enzyme accumulation and ornithine decarboxylase activity in mouse liver, 579

Berdanier, C.D.: *See* Wickwire, K., 275

Beshgetoor, D. and Lönnerdal, B. Effect of marginal maternal zinc deficiency in rats on mammary gland zinc metabolism, 573

Besson, C.: *See* Morand, C., 246

Bhaduri, A.: *See* Halder, J., 378

Bhathena, S.J.: *See* Werman, M.J., 201

Bieber, L.L.: *See* Melegh, B., 147

Blumberg, J.B.: *See* Meydani, M., 74

Bobek, P., Ozdín, Ľ., and Kuniak, Ľ. Effect of oyster mushroom and isolated β-glucan on lipid peroxidation and on the activities of antioxidative enzymes in rats fed the cholesterol diet, 469

Bost, P.-E.: *See* Favier, M.-L., 127

Bouglé, D.L.: *See* Aït-oukhatar, N., 190

Bouhallab, S.: *See* Aït-oukhatar, N., 190

Bourre, J.-M.E., Dumont, O.L., Piciotti, M.J., Clément, M.E., and Durand, G.A. Comparison of vegetable and fish oil in the provision of N-3 polyunsaturated fatty acids for nervous tissue and selected organs, 472

Boyer, J.: *See* Le Petit-Thevenin, J., 312

Boza, J.: *See* Jiménez, J., 217

Brace, L.D.: *See* Qureshi, A.A., 290

Bradlow, B.A.: *See* Qureshi, A.A., 290

Braud, H.: *See* Løchsen, T., 408

Breen, J.J.: *See* Ross, A.C., 456

Brodal, B.: *See* Løchsen, T., 408

Browning, J.D.: *See* O'Dell, B.L., 346

Bulux, J., Quan de Serrano, J., Lopez, C.Y., Perez, R., Rivera, C., and Solomons, N.W. Studies on the bioconversion of β-carotene to active vitamin A in underprivileged Guatemalan children, 623

Burdge, G.C., Wright, S.M., Warner, J.O., and Postle, A.D. Fetal brain and liver phospholipid fatty acid composition in a guinea pig model of fetal alcohol syndrome: Effect of maternal supplementation with tuna oil, 438

Bureau, F.: *See* Aït-oukhatar, N., 190

Buro, M.D.: *See* Ingrosso, D., 535

Cannon, J.G.: *See* Meydani, M., 74

Cathcart, E.S., Gonnerman, W.A., Elliott-Bryant, R., Hajri, T., and Hayes, K.C. Dietary modulation of apolipoprotein serum amyloid A (apoSAA) metabolism and prevention of amyloidosis in aging C57BL/6J and SJL/J mice, 328

Cert, A.M.: *See* Ruiz-Gutiérrez, V., 689

Chan, P.T.: *See* Zhang, A., 334

Chao, L.G.S.: *See* Wild, G.E., 673

Chen, Z.-Y.: *See* Zhang, A., 334

Chiba, H.: *See* Uehara, M., 385

Christiansen, E.N.: *See* Løchsen, T., 408

Chung, B.H.: *See* Nicholas, K.N., 566

Clandinin, M.T.: *See* Wild, G.E., 673

Clark, R.M.: *See* Furr, H.C., 364

Clément, M.E.: *See* Bourre, J.-M.E., 472

Conde, K.: *See* Fernandez, M.L., 414

Conde, K.: *See* Vidal-Quintanar, R.L., 479

Cortiella, J.: *See* Zhang, X.-j., 133

Cortright, R.N., Muoio, D.M., and Dohm, G.L. Skeletal muscle lipid metabolism: A frontier for new insights into fuel homeostasis, 228

Daly, D., Miller, J.W., Nadeau, M.R., and Selhub, J. The effect of L-dopa administration and folate deficiency on plasma homocysteine concentrations in rats, 634

D'Angelo, S.: *See* Ingrosso, D., 535

De Luca, L.M., Kosa, K., and Andreola, F. The role of vitamin A in differentiation and skin carcinogenesis, 426

De Rosa, M.: *See* Ingrosso, D., 535

Demigné, C.: *See* Favier, M.-L., 127

Demigne, C.: *See* Morand, C., 246

Dohm, G.L.: *See* Cortright, R.N., 228

Dohm, G.L.: *See* Dolan, P.L., 322

Dolan, P.L., Tapscott, E.B., Peterson, R.G., and Dohm, G.L. Effects of feeding acarbose on muscle glucose transport and GLUT4 protein in lean and obese diabetic (ZDF/Gmi-*fa*) rats, 322

Donovan, S.M., Mar, M.-H., and Zeisel, S.H. Choline and choline ester concentrations in porcine milk throughout lactation, 603

Doyle, D., Jr.: *See* Zhang, X.-j., 133

Drosdowsky, M.A.: *See* Aït-oukhatar, N., 190

Duan, R.-D.: *See* Nyberg, L., 112

Dumont, O.L.: *See* Bourre, J.-M.E., 472

Durand, G.A.: *See* Bourre, J.-M.E., 472

Dutta-Roy, A.K. Fatty acid transport and metabolism in the feto-placental unit and the role of fatty acid-binding proteins, 548

Ebrahim, A.S. and Sakthisekaran, D. Effect of vitamin E and taurine treatment on lipid peroxidation and antioxidant defense in perchloroethylene-induced cytotoxicity in mice, 270

Eckel, R.H.: *See* Morin, C.L., 702

Eder, K. and Kirchgessner, M. Concentrations of lipids in plasma and lipoproteins and oxidative susceptibility of low-density lipoproteins in zinc-deficient rats fed linseed oil or olive oil, 461

Elliott-Bryant, R.: *See* Cathcart, E.S., 328

Emery, M.: *See* O'Dell, B.L., 346

Evans, W.J.: *See* Meydani, M., 74

Evenson, J.K.: *See* Weiss, S.L., 85

Failla, M.L.: *See* Han, O., 585

Faria, J.: *See* Wild, G.E., 673

Favier, M.-L., Bost, P.-E., Guittard, C., Demigné, C., and Rémésy, C. Reciprocal influence of fermentations and bile acid excretion on cholesterol-lowering effect of fermentable carbohydrate, 127

Fernandez, M.L., Vega, S., Ayala, M.T., Shen, H., Conde, K., Vergara-Jimenez, M., and Robbins, A. Vitamin C level and dietary fat saturation alter hepatic cholesterol homeostasis and plasma LDL metabolism in guinea pigs, 414

Fernandez, M.L.: *See* Vidal-Quintanar, R.L., 479

Fielding, R.A.: *See* Meydani, M., 74

Finley, J.W. and Monroe, P. Mn Absorption: The use of CACO-2 cells as a model of the intestinal epithelia, 92

Foulke, D.T.: *See* Ross, A.C., 456

Fritsche, K.L.: *See* McGuire, S.O., 518

Furr, H.C. and Clark, R.M. Intestinal absorption and tissue distribution of carotenoids, 364

Nutritional Biochemistry 8:708–711, 1997

© Elsevier Science Inc. 1997

655 Avenue of the Americas, New York, NY 10010

0955-2863/97/$17.00
PII S0955-2863(97)00157-5

Author Index

Aattouri, N. and Lemonnier, D. Production of interferon induced by *Streptococcus thermophilus:* role of $CD4^+$ and $CD8^+$ lymphocytes, 25

Abumrad, N.N.: *See* Nissen, S.L., 300

Adhirai, M. and Selvam, R. Protection of cyclosporin A-induced biochemical changes by vitamin E pretreatment in hyperoxaluric rat kidney, 32

Aït-oukhatar, N., Bouhallab, S., Bureau, F., Arhan, P., Maubois, J.-L., Drosdowsky, M.A., and Bouglé, D.L. Bioavailability of caseinophosphopeptide bound iron in the young rat, 190

Åkesson, B., Huang, W., Persson-Moschos, M., Marchaluk, E., Jacobsson, L., and Lindgärde, F. Glutathione peroxidase, selenoprotein P and selenium in serum of elderly subjects in relation to other biomarkers of nutritional status and food intake, 508

Allen, R.H.: *See* Stabler, S.P., 279

Andreola, F.: *See* De Luca, L.M., 426

Arguello, F.: *See* Layrisse, M., 61

Arhan, P.: *See* Aït-oukhatar, N., 190

Asagi, K.: *See* Oka, T., 211

Askew, E.W.: *See* Lieberman, H.R., 119

Ayala, M.T.: *See* Fernandez, M.L., 414

Baron, M.A.: *See* Layrisse, M., 61

Behall, K.M.: *See* Hallfrisch, J., 497

Behrens, W.: *See* Hidiroglou, N., 392

Belury, M.A., Moya-Camarena, S.Y., Liu, K.-L., and Vanden Heuvel, J.P. Dietary conjugated linoleic acid induces peroxisome-specific enzyme accumulation and ornithine decarboxylase activity in mouse liver, 579

Berdanier, C.D.: *See* Wickwire, K., 275

Beshgetoor, D. and Lönnerdal, B. Effect of marginal maternal zinc deficiency in rats on mammary gland zinc metabolism, 573

Besson, C.: *See* Morand, C., 246

Bhaduri, A.: *See* Halder, J., 378

Bhathena, S.J.: *See* Werman, M.J., 201

Bieber, L.L.: *See* Melegh, B., 147

Blumberg, J.B.: *See* Meydani, M., 74

Bobek, P., Ozdín, Ľ., and Kuniak, Ľ. Effect of oyster mushroom and isolated β-glucan on lipid peroxidation and on the activities of antioxidative enzymes in rats fed the cholesterol diet, 469

Bost, P.-E.: *See* Favier, M.-L., 127

Bouglé, D.L.: *See* Aït-oukhatar, N., 190

Bouhallab, S.: *See* Aït-oukhatar, N., 190

Bourre, J.-M.E., Dumont, O.L., Piciotti, M.J., Clément, M.E., and Durand, G.A. Comparison of vegetable and fish oil in the provision of N-3 polyunsaturated fatty acids for nervous tissue and selected organs, 472

Boyer, J.: *See* Le Petit-Thevenin, J., 312

Boza, J.: *See* Jiménez, J., 217

Brace, L.D.: *See* Qureshi, A.A., 290

Bradlow, B.A.: *See* Qureshi, A.A., 290

Braud, H.: *See* Løchsen, T., 408

Breen, J.J.: *See* Ross, A.C., 456

Brodal, B.: *See* Løchsen, T., 408

Browning, J.D.: *See* O'Dell, B.L., 346

Bulux, J., Quan de Serrano, J., Lopez, C.Y., Perez, R., Rivera, C., and Solomons, N.W. Studies on the bioconversion of β-carotene to active vitamin A in underprivileged Guatemalan children, 623

Burdge, G.C., Wright, S.M., Warner, J.O., and Postle, A.D. Fetal brain and liver phospholipid fatty acid composition in a guinea pig model of fetal alcohol syndrome: Effect of maternal supplementation with tuna oil, 438

Bureau, F.: *See* Aït-oukhatar, N., 190

Buro, M.D.: *See* Ingrosso, D., 535

Cannon, J.G.: *See* Meydani, M., 74

Cathcart, E.S., Gonnerman, W.A., Elliott-Bryant, R., Hajri, T., and Hayes, K.C. Dietary modulation of apolipoprotein serum amyloid A (apoSAA) metabolism and prevention of amyloidosis in aging C57BL/6J and SJL/J mice, 328

Cert, A.M.: *See* Ruiz-Gutiérrez, V., 689

Chan, P.T.: *See* Zhang, A., 334

Chao, L.G.S.: *See* Wild, G.E., 673

Chen, Z.-Y.: *See* Zhang, A., 334

Chiba, H.: *See* Uehara, M., 385

Christiansen, E.N.: *See* Løchsen, T., 408

Chung, B.H.: *See* Nicholas, K.N., 566

Clandinin, M.T.: *See* Wild, G.E., 673

Clark, R.M.: *See* Furr, H.C., 364

Clément, M.E.: *See* Bourre, J.-M.E., 472

Conde, K.: *See* Fernandez, M.L., 414

Conde, K.: *See* Vidal-Quintanar, R.L., 479

Cortiella, J.: *See* Zhang, X.-j., 133

Cortright, R.N., Muoio, D.M., and Dohm, G.L. Skeletal muscle lipid metabolism: A frontier for new insights into fuel homeostasis, 228

Daly, D., Miller, J.W., Nadeau, M.R., and Selhub, J. The effect of L-dopa administration and folate deficiency on plasma homocysteine concentrations in rats, 634

D'Angelo, S.: *See* Ingrosso, D., 535

De Luca, L.M., Kosa, K., and Andreola, F. The role of vitamin A in differentiation and skin carcinogenesis, 426

De Rosa, M.: *See* Ingrosso, D., 535

Demigné, C.: *See* Favier, M.-L., 127

Demigne, C.: *See* Morand, C., 246

Dohm, G.L.: *See* Cortright, R.N., 228

Dohm, G.L.: *See* Dolan, P.L., 322

Dolan, P.L., Tapscott, E.B., Peterson, R.G., and Dohm, G.L. Effects of feeding acarbose on muscle glucose transport and GLUT4 protein in lean and obese diabetic (ZDF/Gmi-*fa*) rats, 322

Donovan, S.M., Mar, M.-H., and Zeisel, S.H. Choline and choline ester concentrations in porcine milk throughout lactation, 603

Doyle, D., Jr.: *See* Zhang, X.-j., 133

Drosdowsky, M.A.: *See* Aït-oukhatar, N., 190

Duan, R.-D.: *See* Nyberg, L., 112

Dumont, O.L.: *See* Bourre, J.-M.E., 472

Durand, G.A.: *See* Bourre, J.-M.E., 472

Dutta-Roy, A.K. Fatty acid transport and metabolism in the feto-placental unit and the role of fatty acid-binding proteins, 548

Ebrahim, A.S. and Sakthisekaran, D. Effect of vitamin E and taurine treatment on lipid peroxidation and antioxidant defense in perchloroethylene-induced cytotoxicity in mice, 270

Eckel, R.H.: *See* Morin, C.L., 702

Eder, K. and Kirchgessner, M. Concentrations of lipids in plasma and lipoproteins and oxidative susceptibility of low-density lipoproteins in zinc-deficient rats fed linseed oil or olive oil, 461

Elliott-Bryant, R.: *See* Cathcart, E.S., 328

Emery, M.: *See* O'Dell, B.L., 346

Evans, W.J.: *See* Meydani, M., 74

Evenson, J.K.: *See* Weiss, S.L., 85

Failla, M.L.: *See* Han, O., 585

Faria, J.: *See* Wild, G.E., 673

Favier, M.-L., Bost, P.-E., Guittard, C., Demigné, C., and Rémésy, C. Reciprocal influence of fermentations and bile acid excretion on cholesterol-lowering effect of fermentable carbohydrate, 127

Fernandez, M.L., Vega, S., Ayala, M.T., Shen, H., Conde, K., Vergara-Jimenez, M., and Robbins, A. Vitamin C level and dietary fat saturation alter hepatic cholesterol homeostasis and plasma LDL metabolism in guinea pigs, 414

Fernandez, M.L.: *See* Vidal-Quintanar, R.L., 479

Fielding, R.A.: *See* Meydani, M., 74

Finley, J.W. and Monroe, P. Mn Absorption: The use of CACO-2 cells as a model of the intestinal epithelia, 92

Foulke, D.T.: *See* Ross, A.C., 456

Fritsche, K.L.: *See* McGuire, S.O., 518

Furr, H.C. and Clark, R.M. Intestinal absorption and tissue distribution of carotenoids, 364

Nutritional Biochemistry 8:708–711, 1997

© Elsevier Science Inc. 1997

655 Avenue of the Americas, New York, NY 10010

0955-2863/97/$17.00
PII S0955-2863(97)00157-5

Gage, D.A.: *See* Melegh, B., 147
Galletti, P.: *See* Ingrosso, D., 535
García, J. and Silva, E. Flavin-sensitized photooxidation of amino acids present in a parenteral nutrition infusate: Protection by ascorbic acid, 341
García-Casal, M.N.: *See* Layrisse, M., 61
Garrow, T.A.: *See* Park, E.I., 541
Gaubatz, J.W. Heart damage associated with cooked meat mutagens, 490
German, J.B.: *See* Schramm, D.D., 647
Gonnerman, W.A.: *See* Cathcart, E.S., 328
Gorewit, R.C.: *See* Spitsberg, V.L., 181
Goto, S.: *See* Uehara, M., 385
Greenhaff, P.L. The nutritional biochemistry of creatine, 610
Grusak, M.A. Intrinsic stable isotope labeling of plants for nutritional investigations in humans, 164
Guerrero, A.: *See* Muriana, F.J.G., 205
Guerrero, A.: *See* Ruiz-Gutiérrez, V., 689
Guittard, C.: *See* Favier, M.-L., 127
Gurr, J.A.: *See* Ross, A.C., 456

Hajri, T.: *See* Cathcart, E.S., 328
Halder, J. and Bhaduri, A. Glycosidases from tea-leaf (*Camellia sinensis*) and characterization of β-galactosidase, 378
Hallfrisch, J., Scholfield, D.J., and Behall, K.M. Diets containing soluble oat extracts reduce urinary malondialdehyde in moderately hypercholesterolemic men and women, 497
Han, O., Failla, M.L., and Smith, J.C., Jr. Transferrin-iron and proinflammatory cytokines influence iron status and apical iron transport efficiency of Caco-2 intestinal cell line, 585
Harrison, E.H.: *See* Romanchik, J.E., 681
Hayes, K.C.: *See* Cathcart, E.S., 328
Hayward, S.: *See* Hidiroglou, N., 392
Hennig, B.: *See* Nicholas, K.N., 566
Hernandez, L.: *See* Vidal-Quintanar, R.L., 479
Hidiroglou, N., Hayward, S., Behrens, W., and Madere, R. Vitamin E levels in superficial and intra-abdominal locations of white adipose tissue in the rat, 392
Hidiroglou, N., Madere, R., and L'Abbé, M.R. Influence of oral dosing with D-isoascorbic acid on L-ascorbic acid content in guinea pig tissues, 13
Ho, W.K.K.: *See* Zhang, A., 334
Horiuchi, S.: *See* Oka, T., 211
Hoyt, R.W.: *See* Lieberman, H.R., 119
Huang, W.: *See* Åkesson, B., 508
Huszar, M.: *See* Yam, D., 619

Ikeda, I.: *See* Sugano, M., 38
Ingrosso, D., Perna, A.F., D'Angelo, S., Buro, M.D., Malanga, P., Galletti, P., De Rosa, M., and Zappia, V. Enzymatic detection of L-isoaspartyl residues in food proteins and the protective properties of trehalose, 535

Jacob, R.A. and Pianalto, F.S. Urinary carnitine excretion increases during experimental vitamin C depletion of healthy men, 265
Jacobsson, L.: *See* Åkesson, B., 508
Jacquier, C.: *See* Le Petit-Thevenin, J., 312
James, S.J.: *See* Pogribny, I.P., 355
Jiménez, J., Boza, J., and Suárez, M.D. The effect of a formula supplemented with n-3 and n-6 long-chain polyunsaturated fatty acids on plasma phospholipid, liver microsomal, retinal, and brain fatty acid composition in neonatal piglets, 217
Joe, B. and Lokesh, B.R. Prophylactic and therapeutic effects of n-3 polyunsaturated fatty acids, capsaicin, and curcumin on adjuvant induced arthritis in rats, 397
Johnson, C.R.: *See* Westrick, J.A., 19

Kamin-Belsky, N.: *See* Raz, A., 558
Kass, P.H.: *See* Marks, S.L., 79
Kawano, M.: *See* Yamaguchi, H., 351
Keelan, M.: *See* Wild, G.E., 673
Kirchgessner, M.: *See* Eder, K., 461
Kohri, H.: *See* Oka, T., 211
Koo, S.I.: *See* Noh, S.K., 152
Kosa, K.: *See* De Luca, L.M., 426
Krasin, B.: *See* Rein, D., 68
Kritchevsky, D.: *See* Sugano, M., 38
Kuniak, L.: *See* Bobek, P., 469
Kuratko, C.N. Mitochondrial lipid peroxidation is influenced by dietary factors in early colon carcinogenesis, 696
Kusuda, K.: *See* Yamaguchi, H., 351
Kuwahata, M.: *See* Oka, T., 211

L'Abbé, M.R.: *See* Hidiroglou, N., 13
Layrisse, M., García-Casal, M.N., Solano, L., Baron, M.A., Arguello, F., Llovera, D., Ramírez, J., Leets, I., and Tropper, E. The role of vitamin A on the inhibitors of nonheme iron absorption: Preliminary results, 61
Le Petit-Thevenin, J., Nobili, O., Vérine, A., Jacquier, C., and Boyer, J. Ethanol stimulates lipid biosynthesis in the rat reticulocyte by activating glycerol kinase, 312
Leets, I.: *See* Layrisse, M., 61
Lemon, P.W.R. Dietary protein requirements in athletes, 52
Lemonnier, D.: *See* Aattouri, N., 25
León-Comacho, M.: *See* Muriana, F.J.G., 205
Lieberman, H.R., Askew, E.W., Hoyt, R.W., Shukitt-Hale, B., and Sharp, M.A. Effects of 30 days of undernutrition on plasma neurotransmitter precursors and other amino acids, 119
Lindgärde, F.: *See* Åkesson, B., 508
Liu, C., Wang, X.-D., and Russell, R.M. Biosynthesis of retinoic acid from β-apo-14′-carotenal in ferret in vivo, 652
Liu, K.-L.: *See* Belury, M.A., 579
Llovera, D.: *See* Layrisse, M., 61

Løchsen, T., Ormstad, H., Braud, H., Brodal, B., Christiansen, E.N., and Osmundsen, H. Effects of fish oil and n-3 fatty acids on the regulation of Δ^9-fatty acid desaturase mRNA and -activity in rat liver, 408
Lokesh, B.R.: *See* Joe, B., 397
Lönnerdal, B.: *See* Beshgetoor, D., 573
Lopez, C.Y.: *See* Bulux, J., 623
Loria, R.M. and Padgett, D.A. α-Linolenic acid prevents the hypercholesteremic effects of cholesterol addition to a corn oil diet, 140
Luk, Y.S.: *See* Zhang, A., 334
Lundgren, P.: *See* Nyberg, L., 112

Madere, R.: *See* Hidiroglou, N., 13
Madere, R.: *See* Hidiroglou, N., 392
Madsen, K.: *See* Wild, G., 2
Malanga, P.: *See* Ingrosso, D., 535
Mañas, M.: *See* Yago, M.D., 502
Mar, M.-H.: *See* Donovan, S.M., 603
Marchaluk, E.: *See* Åkesson, B., 508
Marks, S.L., Vulliet, P.R., Kass, P.H., and Rogers, Q.R. Dietary composition alters methotrexate toxicity without changing its pharmacokinetic parameters in cats, 79
Martinez, M.A.: *See* Yago, M.D., 502
Martinez-Victoria, E.: *See* Yago, M.D., 502
Mataix, J.: *See* Yago, M.D., 502
Matsuura, T.: *See* Ross, A.C., 456
Maubois, J.-L.: *See* Aït-oukhatar, N., 190
McGuire, S.O. and Fritsche, K.L. The effect of dietary menhaden fish oil on α-tocopherol status in rodents is both concentration and tissue dependent, 518
Melegh, B., Pap, M., Szekely, G., Gage, D.A., Sherry, A.D., and Bieber, L.L. No replenishment of carnitine from trimethyllysine during pivalate-induced carnitine loss in humans, 147
Meredith, S.C.: *See* Teegarden, D., 195
Meydani, M., Fielding, R.A., Cannon, J.G., Blumberg, J.B., and Evans, W.J. Muscle uptake of vitamin E and its association with muscle fiber type, 74
Miller, J.W.: *See* Daly, D., 634
Miyamoto, E.: *See* Okada, M., 44
Mogi, H.: *See* Uehara, M., 385
Momčilović, B. and Reeves, P.G. Quantitative assessment of the effects of variability in dietary zinc dose-rate idiorrhythms upon zinc deposition in bone of weanling rats by using a slope-ratio assay, 256
Monroe, P.: *See* Finley, J.W., 92
Montilla, C.: *See* Muriana, F.J.G., 205
Morand, C., Rios, L., Moundras, C., Besson, C., Remesy, C., and Demigne, C. Influence of methionine availability on glutathione synthesis and delivery by the liver, 246
Morel, D.W.: *See* Romanchik, J.E., 681

Morin, C.L. and Eckel, R.H. Transgenic and knockout rodents: Novel insights into mechanisms of body weight regulation, 702
Moundras, C.: *See* Morand, C., 246
Moya-Camarena, S.Y.: *See* Belury, M.A., 579
Muoio, D.M.: *See* Cortright, R.N., 228
Muriana, F.J.G., Ruíz-Gutiérrez, V., Guerrero, A., Montilla, C., León-Comacho, M., and Villar, J. Olive oil normalizes the altered distribution of membrane cholesterol and Na^+-Li^+ countertransport activity in erythrocyte of hypertensive patients, 205
Muriana, F.J.G.: *See* Ruiz-Gutiérrez, V., 689
Muthukumar, A. and Selvam, R. Effect of depletion of reduced glutathione and its supplementation by glutathione monoester on renal oxalate retention in hyperoxaluria, 445

Nadeau, M.R.: *See* Daly, D., 634
Nagy, L.E.: *See* Stephen, L.L., 172
Narayanareddy, K.: *See* Srinivasarao, P., 527
Natori, Y.: *See* Oka, T., 211
Nicholas, K.N., Toborek, M., Slim, R., Watkins, B.A., Chung, B.H., Oeltgen, P.R., and Hennig, B. Dietary cholesterol supplementation protects against endothelial cell dysfunction mediated by native and lipolyzed lipoproteins derived from rabbits fed high-corn oil diets, 566
Nilsson, Å.: *See* Nyberg, L., 112
Nilsson, Å.: *See* Zhou, L., 641
Nishida, T.: *See* Okada, M., 44
Nissen, S.L. and Abumrad, N.N. Nutritional role of the leucine metabolite β-hydroxy β-methylbutyrate (HMB), 300
Nobili, O.: *See* Le Petit-Thevenin, J., 312
Noh, S.K. and Koo, S.I. The lymphatic absorption of lipids is normalized by enteral phosphatidylcholine infusion in ovariectomized rats with estrogen replacement, 152
Nyberg, L., Nilsson, Å., Lundgren, P., and Duan, R.-D. Localization and capacity of sphingomyelin digestion in the rat intestinal tract, 112

Obukowicz, M.G.: *See* Raz, A., 558
O'Dell, B.L., Emery, M., Xia, J., and Browning, J.D. In vitro addition of glutathione to blood from zinc-deficient rats corrects platelet defects: Impaired aggregation and calcium uptake, 346
Oeltgen, P.R.: *See* Nicholas, K.N., 566
Oka, T., Kuwahata, M., Sugitatsu, H., Tsuge, H., Asagi, K., Kohri, H., Horiuchi, S., and Natori, Y. Modulation of albumin gene expression by amino acid supply in rat liver is mediated through intracellular concentration of pyridoxal 5′-phosphate, 211
Okada, M., Miyamoto, E., Nishida, T., Tomida, T., and Shibuya, M. Effect of vitamin B-6 nutrition and diabetes on vitamin B-6 metabolism, 44
Ormstad, H.: *See* Løchsen, T., 408
Osmundsen, H.: *See* Løchsen, T., 408
Ozdín, Ľ.: *See* Bobek, P., 469

Padgett, D.A.: *See* Loria, R.M., 140
Pap, M.: *See* Melegh, B., 147
Park, E.I., Renduchintala, M.S., and Garrow, T.A. Diet-induced changes in hepatic betaine-homocysteine methyltransferase activity are mediated by changes in the steady-state level of its mRNA, 541
Pearson, D.A.: *See* Schramm, D.D., 647
Peled, A.: *See* Yam, D., 619
Perez, R.: *See* Bulux, J., 623
Perna, A.F.: *See* Ingrosso, D., 535
Persson-Moschos, M.: *See* Åkesson, B., 508
Peterson, R.G.: *See* Dolan, P.L., 322
Pianalto, F.S.: *See* Jacob, R.A., 265
Piciotti, M.J.: *See* Bourre, J.-M.E., 472
Pogribny, I.P. and James, S.J. A method to estimate the percent loss of cytosine methyl groups at defined CpG sites in liver DNA from methyl-deficient rats, 355
Postle, A.D.: *See* Burdge, G.C., 438
Prohaska, J.R. Responses of rat cuproenzymes to variable dietary copper, 316
Przedecki, F.: *See* Raz, A., 558

Quan de Serrano, J.: *See* Bulux, J., 623
Qureshi, A.A., Bradlow, B.A., Salser, W.A., and Brace, L.D. Novel tocotrienols of rice bran modulate cardiovascular disease risk parameters of hypercholesterolemic humans, 290

Ramírez, J.: *See* Layrisse, M., 61
Raz, A., Kamin-Belsky, N., Przedecki, F., and Obukowicz, M.G. Fish oil inhibits Δ6 desaturase activity in vivo: Utility in a dietary paradigm to obtain mice depleted of arachidonic acid, 558
Reeves, P.G.: *See* Momčilović, B., 256
Rein, D., Krasin, B., and Sheard, N.F. Dietary choline supplementation in rats increases carnitine concentration in liver, but decreases plasma and kidney carnitine concentrations, 68
Rémésy, C.: *See* Favier, M.-L., 127
Remesy, C.: *See* Morand, C., 246
Renduchintala, M.S.: *See* Park, E.I., 541
Rios, L.: *See* Morand, C., 246
Rivera, C.: *See* Bulux, J., 623
Robbins, A.: *See* Fernandez, M.L., 414
Rogers, Q.R.: *See* Marks, S.L., 79
Romanchik, J.E., Harrison, E.H., and Morel, D.W. Addition of lutein, lycopene, or β-carotene to LDL or serum in vitro: Effects on carotenoid distribution, LDL composition, and LDL oxidation, 681
Ross, A.C., Foulke, D.T., Matsuura, T., Tresini, M., Breen, J.J., and Gurr, J.A. Hepatic lecithin: Retinol acyltransferase activity is induced in vivo by retinoic acid, but not by triiodothyronine, in vitamin A-deficient, hypothyroid rats, 456
Ross, A.C.: *See* Zolfaghari, R., 451
Ruiz-Gutiérrez, V., Muriana, F.J.G., Guerrero, A., Cert, A.M., and Villar, J. Role of dietary oleic acid from two different sources on fatty acid composition of erythrocyte membrane and blood pressure in healthy subjects, 689
Ruíz-Gutiérrez, V.: *See* Muriana, F.J.G., 205
Rupalatha: *See* Srinivasarao, P., 527
Russell, R.M.: *See* Liu, C., 652

Sakthisekaran, D.: *See* Ebrahim, A.S., 270
Salser, W.A.: *See* Qureshi, A.A., 290
Sampson, D.A.: *See* Stabler, S.P., 279
Scemama, J.-L.: *See* Seidel, E.R., 104
Scholfield, D.J.: *See* Hallfrisch, J., 497
Schramm, D.D., Pearson, D.A., and German, J.B. Endothelial cell basal PGI_2 release is stimulated by wine in vitro: One mechanism that may mediate the vasoprotective effects of wine, 647
Seidel, E.R. and Scemama, J.-L. Gastrointestinal polyamines and regulation of mucosal growth and function, 104
Selhub, J.: *See* Daly, D., 634
Selvam, R.: *See* Adhirai, M., 32
Selvam, R.: *See* Muthukumar, A., 445
Sen, C.K. Nutritional biochemistry of cellular gluthathione, 660
Sharp, M.A.: *See* Lieberman, H.R., 119
Sheard, N.F.: *See* Rein, D., 68
Shen, H.: *See* Fernandez, M.L., 414
Sherry, A.D.: *See* Melegh, B., 147
Shibuya, M.: *See* Okada, M., 44
Shinitzky, M.: *See* Yam, D., 619
Shukitt-Hale, B.: *See* Lieberman, H.R., 119
Sidransky, H. and Verney, E. Influence of L-leucine on L-tryptophan binding to rat hepatic nuclei, 592
Silva, E.: *See* García, J., 341
Simmons, J.H.: *See* Westrick, J.A., 19
Sitrin, M.D.: *See* Teegarden, D., 195
Slim, R.: *See* Nicholas, K.N., 566
Smith, J.C., Jr.: *See* Han, O., 585
Smolen, A.: *See* Westrick, J.A., 19
Solano, L.: *See* Layrisse, M., 61
Solomons, N.W.: *See* Bulux, J., 623
Spitsberg, V.L. and Gorewit, R.C. In vitro phosphorylated bovine milk fat globule membrane proteins, 181
Squires, E.J.: *See* Wu, J., 629
Srinivasarao, P., Vajreswari, A., Suryaprakash, P., Rupalatha, and Narayanareddy, K. Lipid composition and fatty acid profiles of myelin and synaptosomal membranes of rat brain in re-

sponse to the consumption of different fats, 527
Stabler, S.P., Sampson, D.A., Wang, L.-P., and Allen, R.H. Elevations of serum cystathionine and total homocysteine in pyridoxine-, folate-, and cobalamin-deficient rats, 279
Stephen, L.L. and Nagy, L.E. Very low protein diets decrease cAMP-mediated cytosolic and nuclear responses in isolated rat hepatocytes, 172
Suárez, M.D.: *See* Jiménez, J., 217
Sugano, M., Tsujita, A., Yamasaki, M., Yamada, K., Ikeda, I., and Kritchevsky, D. Lymphatic recovery, tissue distribution, and metabolic effects of conjugated linoleic acid in rats, 38
Sugawa-Katayama, Y.: *See* Yamaguchi, H., 351
Sugitatsu, H.: *See* Oka, T., 211
Sunde, R.A.: *See* Weiss, S.L., 85
Suryaprakash, P.: *See* Srinivasarao, P., 527
Suzuki, K.: *See* Uehara, M., 385
Szekely, G.: *See* Melegh, B., 147

Tapscott, E.B.: *See* Dolan, P.L., 322
Teegarden, D., Meredith, S.C., and Sitrin, M.D. Isolation and characterization of a 25-hydroxyvitamin D binding protein from rat enterocyte cytosol, 195
Thompson, K.M.: *See* Weiss, S.L., 85
Thomson, A.B.R.: *See* Wild, G., 2
Thomson, A.B.R.: *See* Wild, G.E., 673
Toborek, M.: *See* Nicholas, K.N., 566
Tomida, T.: *See* Okada, M., 44
Tresini, M.: *See* Ross, A.C., 456
Tropper, E.: *See* Layrisse, M., 61
Tsuge, H.: *See* Oka, T., 211
Tsujita, A.: *See* Sugano, M., 38
Turner, R.: *See* Wild, G.E., 673
Turnlund, J.R.: *See* Werman, M.J., 201

Uehara, M., Chiba, H., Mogi, H., Suzuki, K., and Goto, S. Induction of increased phosphatidylcholine hydroperoxide by an iron-deficient diet in rats, 385

Vajreswari, A.: *See* Srinivasarao, P., 527
Vanden Heuvel, J.P.: *See* Belury, M.A., 579
Vega, S.: *See* Fernandez, M.L., 414
Vergara-Jimenez, M.: *See* Fernandez, M.L., 414
Vergara-Jimenez, M.: *See* Vidal-Quintanar, R.L., 479
Vérine, A.: *See* Le Petit-Thevenin, J., 312
Verney, E.: *See* Sidransky, H., 592
Vidal-Quintanar, R.L., Hernandez, L., Conde, K., Vergara-Jimenez, M., and Fernandez, M.L. Lime-treated corn husks lower plasma LDL cholesterol in guinea pigs by altering hepatic cholesterol metabolism, 479
Villar, J.: *See* Muriana, F.J.G., 205
Villar, J.: *See* Ruiz-Gutiérrez, V., 689
Vulliet, P.R.: *See* Marks, S.L., 79

Wang, L.-P.: *See* Stabler, S.P., 279
Wang, X.-D.: *See* Liu, C., 652
Warner, J.O.: *See* Burdge, G.C., 438
Watkins, B.A.: *See* Nicholas, K.N., 566
Weiss, S.L., Evenson, J.K., Thompson, K.M., and Sunde, R.A. Dietary selenium regulation of glutathione peroxidase mRNA and other selenium-dependent parameters in male rats, 85
Werman, M.J., Bhathena, S.J., and Turnlund, J.R. Dietary copper intake influences skin lysyl oxidase in young men, 201
Westrick, J.A., Johnson, C.R., Simmons, J.H., and Smolen, A. Shifts in affinity and enthalpy of oxygen binding to human hemoglobin A induced by pyridoxal and pyridoxal 5'-phosphate, 19
Wickwire, K. and Berdanier, C.D. Pyruvate metabolism in BHE/cdb rats is altered by the type of dietary fat, 275
Wild, G., Madsen, K., and Thomson, A.B.R. Intestinal tight junctions and their importance in health and disease: role of dietary lipids, 2
Wild, G.E., Turner, R., Chao, L.G.S., Faria, J., Keelan, M., Clandinin, M.T., and Thomson, A.B.R. Dietary lipid modulation of Na^+/glucose co-transporter (SGLT1), Na^+/K^+ ATPase, and ornithine decarboxylase gene expression in the rat small intestine in diabetes mellitus, 673
Wolfe, R.R.: *See* Zhang, X.-j., 133
Wright, S.M.: *See* Burdge, G.C., 438
Wu, J. and Squires, E.J. The effect of dietary corn oil, vitamin E, and selenium on lipid peroxidation and hemorrhage in chicken liver, 629

Xia, J.: *See* O'Dell, B.L., 346

Yago, M.D., Martinez-Victoria, E., Mañas, M., Martinez, M.A., and Mataix, J. Plasma peptide YY and pancreatic polypeptide in dogs after long-term adaptation to dietary fats of different degrees of saturation: Olive and sunflower oil, 502
Yam, D., Peled, A., Huszar, M., and Shinitzky, M. Dietary fish oil suppresses tumor growth and metastasis of Lewis lung carcinoma in mice, 619
Yamada, K.: *See* Sugano, M., 38
Yamaguchi, H., Kawano, M., Sugawa-Katayama, Y., and Kusuda, K. Cholesterol-lowering activity of linear- and gel-type sodium polyacrylate as dietary fiber models, 351
Yamasaki, M.: *See* Sugano, M., 38

Zappia, V.: *See* Ingrosso, D., 535
Zeisel, S.H.: *See* Donovan, S.M., 603
Zhang, A., Chan, P.T., Luk, Y.S., Ho, W.K.K., and Chen, Z.-Y. Inhibitory effect of jasmine green tea epicatechin isomers on LDL-oxidation, 334
Zhang, X.-j., Cortiella, J., Doyle, D., Jr., and Wolfe, R.R. Ketamine anesthesia causes greater muscle catabolism in rabbits than does propofol, 133
Zhou, L. and Nilsson, Å. Uptake of arachidonic acid from blood 2-lyso-phosphatidylcholine by extrahepatic tissues in vivo: An experimental study in the rat, 641
Zolfaghari, R. and Ross, A.C. Vitamin A deficiency increases hepatic apolipoprotein A-I mRNA expression in both euthyroid and hypothyroid rats, 451

Subject Index

Absorption, 92, 673
Acarbose, 322
ACAT, 414, 479
N-Acetylcysteine, 660
Acyl-CoA oxidase, 579
S-Adenosylhomocysteine, 634
S-Adenosylmethionine, 634
Adipose tissue, 702
AIDS, 660
AIN76A diet, 140
Albumin, 211
Alkaline phosphatase, 44
Amino acids, 211, 341
Aminobutyric acids, 279
Antioxidant defense enzymes, 629
Antioxidants, 32, 270, 445
Antisickling agents, 19
Apo B/E receptor, 479
β-Apo-carotenal, 652
β-Apo-carotenoic acid, 652
Apolipoprotein A-I, 451
Apolipoprotein serum amyloid A (apoSAA), 328
Appetite regulation, 702
Arachidonic acid, 641
Arteriovenous balance, 133
Arthritis, 397
Ascorbic acid, 13, 265, 341
Aspartate aminotransferase, 44
Automated DNA sequencing, 355

Beta-carotene, 364
Betaine, 541
Betaine-homocysteine methyltransferase, 541
BeWo cells, 548
BHE/cdb rats, 275
Bile acids, 127
Binding protein, 195
Bioavailability, 13, 164, 190, 392
Blood flow, 133
Blood pressure, 689
Body composition, 702
Brain, 217, 472
Brain lipids, 527
Brain regions, 527
Butyrophilin, 181

CACO-2, 92
Caco-2 cells, 585
Calcified tissue, 256
Calcium oxalate, 445
Calcium uptake, 346
Camellia sinensis, 378
cAMP-dependent protein kinase, 172
Capsaicin, 397
Carcinogenesis, 426
Cardiac myocytes, 490
Cardiovascular disease, 647
Carnitine, 68, 147, 265
Carotene, 364, 623, 652
β-Carotene bioconversion, 623
Carotenoids, 364, 681
Caseinophosphopeptide, 190
Cat, 79
Cation transport, 205
Cell culture, 92
Ceramide formation, 112
Cholesterol, 127, 140, 300, 328, 469, 566
Cholesterol 7α-hydroxylase, 414
Cholesterol-lowering activity, 351
Choline, 68, 603
Clofibrate, 408
Colon carcinogenesis, 696
Colostrum, 603
Conjugated linoleic acid, 38, 579
Copper accumulation, 385
Copper deficiency, 316
Corn husks, 479
Corn oil, 140, 275, 566
CREB, 172
Cross-linked sodium polyacrylate, 351
Cuproenzymes, 316
Curcumin, 397
Cyclosporin A, 32
Cytochrome P4504A, 579
Cytokine induction, 25
Cytosolic fatty acid-binding protein, 548

Deficiency, 190
Desaturase, 558
Diabetes, 44, 228
Diet, 119
Dietary fat, 205, 502, 527, 689
Dietary fiber model, 351
Dietary habits, 508
Dietary lipids, 673, 696
Diets, 566
Differentiation, 426
DNA damage, 490
Docosahexaenoic acid, 408, 438
Dog, 502
L-Dopa, 634
Dose-rate idiorrhythm, 256

Eicosanoids, 641
Endothelial cells, 566
Endurance, 52
Enteritis, 79
Epicatechin, 334
Epicatechin gallate, 334
Epigallocatechin, 334
Epigallocatechin gallate, 334
Epithelium, 426
Ergogenic aids, 610
Essential fatty acid-deficient, 558
Essential fatty acids, 548
Estradiol, 152
Estrogen, 426
Ethanol, 312, 438
Exercise, 52, 610
Exercise performance, 52

Fat absorption, 152
Fat deposits, 392
Fat saturation, 414
Fatigue, 610
Fatty acid composition, 689
Fatty acid uptake, 548
Fatty acids, 152, 527
Fatty-acid-binding protein, 181
Feline, 79
Ferret, 652
Ferritin, 585
Fetal alcohol syndrome, 438
Fetal development, 548
Fish oil, 408, 472, 518, 558, 619
5-Methyl cytosine, 355
Flavine, 341
Flavonoids, 647
Folate, 634
Food mutagens, 490
Food processing and storage, 535
Food protein digestibility, 535
Food proteins, 535
Free fatty acid, 548
Free radical, 385
Fuel homeostasis, 228

β-Galactosidase, 378
Gastrocnemius muscle, 74
Gastrointestinal peptides, 502
Gastrointestinal tract, 641
Gel-type sodium polyacrylate, 351
Gene expression, 85, 211
Genistein, 181
β-Glucan, 497
β-Glucane, 469
Gluconeogenesis, 119
Glucose transport, 322
Glutathione, 246, 346, 445
Glutathione monoester, 445
Glutathione peroxidase, 85, 508
Glycerol kinase, 312
Glycerolipid, 312
Glycerophosphocholine, 603
Glycogen phosphorylase, 44, 172
Glycosidases, 378
Guar-gum, 127
Guatemala, 623
Guinea pig, 13, 414, 438, 479

Health, 300
Heart damage, 490
Heterocyclic amines, 490
High protein diet, 246
High-oleic sunflower oil, 205, 689
HMG-CoA reductase, 479
Homocysteine, 541, 634
Humans, 74, 265, 681
Hydrogenated coconut oil, 275
Hypercholesteremia, 140
Hyperoxaluria, 32, 445
Hypertension, 205

Nutritional Biochemistry 8:712–714, 1997

© Elsevier Science Inc. 1997

655 Avenue of the Americas, New York, NY 10010

0955-2863/97/$17.00
PII S0955-2863(97)00158-7

Ileum, 673
Immune, 300
Immune cells, 518
Inflammation, 397
Interleukin-1β, 585
Interleukin-6, 585
Intestial adaptation, 673
Intestinal absorption, 364
Intestinal permeability, 2
Intestinal transport, 2
Intestine, 112
Intrinsic labeling, 164
Iron, 190
Iron absorption, 585
Iron deficiency, 385
Isoascorbic acid, 13
L-Isoaspartyl residue(s), 535
L-Isoleucine, 592

Jasmine tea, 334
Jejunum, 673

Lactation, 573
Lactic bacteria, 25
LDL, 479, 681
LDL oxidation, 414
LDL peroxidation, 461
LDL receptor, 414
L-Leucine, 592
Ligand, 190
Linoleic acid, 38
α-Linolenic acid, 140
Linseed oil, 461
Lipid hydroperoxides, 629
Lipid metabolism, 228
Lipid peroxidation, 32, 270, 469, 681, 696
Lipid peroxide, 385
Lipids, 2, 461
Lipoic acid, 660
Lipoproteins, 461, 566
Liposynthesis, 312
Liver, 172, 217, 408, 456
Liver fatty acid binding protein, 579
Long-chain polyunsaturated fatty acids, 548
Low copper diets, 201
Lung metastasis, 619
Lymphatic absorption, 38
Lysophosphatidylcholine, 641
Lysyl oxidase, 201

Malnutrition, 119
Malondialdehyde, 497, 629
Mammary zinc, 573
Mass spectrometry, 133
Membrane cholesterol distribution, 205
Membrane cholesterol oxidation, 205
Membrane lipids, 689
Membrane sulfhydryls, 346
Menhaden oil, 275
Metabolic tracers, 52
Metalloenzymes, 385
Methionine, 246, 541
Methotrexate pharmacokinetics, 79
Methylation, 355

MFGM, 181
Milk, 573
Milk fat globule membrane, 181
Milk proteins, 190
Mineral, 164
Mitochondria, 490, 696
Mn, 92
Monounsaturated fatty acids, 205, 689
Mouse, 328
mRNA, 85, 408
Mucosal esterification, 152
Muramic acid, 25
Muscle, 300, 610
Muscle mass, 52
Myelin, 527

n-3 fatty acids, 397
n-6/n-3 polyunsaturated fatty acids, 558
Nephrotoxicity, vitamin E, 32
Nervous system, 472
Neutral lipids, 140
Nitric oxide, 647
Nitrogen balance, 52
Nuclear binding, 592
Nuclear receptors, 426
Nutrient, 164
Nutrient interaction, 68
Nutrient requirements, 85
Nutrition, 472

Oats, 497
Obesity, 228, 702
Olive oil, 205, 461, 689
Omega-3 fatty acids, 518
Ornithine decarboxylase activity, 579
Oxygen-binding to HbA_o: Sickling enhan, 19
Oyster mushroom, 469

Pancreatic polypeptide, 502
Parenteral nutrition infusate, 341
Peptide YY, 502
Perchloroethylene, 270
Performance, 119
Peroxidation, 497
Peroxisome proliferator-activated receptor, 579
Phosphatidylcholine, 603
Phosphocholine, 603
Phosphocreatine, 610
Phospholipids, 152, 438, 641
Photosensitized, 341
Phytochemical, 164
Pig, 217, 603
Pivaloyl-carnitine, 147
Pivampicillin, 147
Placenta, 548
Plasma, 74, 217
Plasma antioxidants, 508
Plasma membrane fatty acid-binding protein, 548
Platelet aggregation, 346
Polyunsaturated fatty acids, 217, 619
Preschoolers, 623
Propylthiouracil, 456
Prostacyclin, 647

Protein deamidation, 535
Protein kinase C, 647
Protein kinases, 181
Protein methylation, 535
Protein phosphorylation, 181
Protein-energy malnutrition, 172
PUFA, 629
Purified diet, 79
Pyridoxal, 19
Pyridoxal 5'-phosphate, 19
Pyridoxal phosphate, 211
Pyruvate metabolism, 275

Quinolinic acid, 279

Rat, 68, 85, 112, 127, 246, 346, 451, 456, 461, 518, 541, 592
Rat heart, 316
Rat liver, 211
Redox, 660
Reticulocyte, 312
Retina, 217
Retinoic acid, 426, 451, 652
Retinoid X receptor, 456
Retinol, 623, 652
Retinyl palmitate, 623

Selenium, 85
Selenium status, 508
Selenoprotein P, 508
Serine hydroxymethyltransferase, 279
Serum cholesterol, 351
Serum cholesterol levels, 351
Serum peptidylglycine-α-amidating monooxygenase, 316
Sex-dependent differences, 385
Short-chain fatty acids, 127
Skeletal muscle, 228, 322
Slope-ratio assay, 256
Sphingomyelin digestion, 112
Stable isotope, 133, 164
Strength, 52
Streptozotocin, 44
Δ^9-Desaturase, 408
Supplement, 660
Supplementation, 68
Synaptosomes, 527

Taurine, 270
Thiols, 660
Thyroid hormone, 451, 456
TIBA value, 38
Tissue distribution, 38
Tissues, 13
T-lymphocytes stimulation, 25
Trace element, 92
Transferrin, 585
Transport, 92
Triglyceride, 328
Trimethyllysine, 147
Tryptophan, 119, 279, 341, 592
25-Hydroxyvitamin D, 195
2-5A synthetase induction, 25
Type I fiber, 74
Tyrosine, 119

L-Valine, 592
Vegetable oil, 472
Viscosity, 127
Vitamin A, 456, 623
Vitamin A deficiency, 451, 456
Vitamin B-6, 44
Vitamin C, 265, 414
Vitamin D, 195
Vitamin E, 74, 270, 392, 518
VLDL, 479

Weanling rat, 256
White adipose tissue, 392
Wine, 647

Xanthophyll, 364
Xanthurenates, 279

Zinc, 573
Zinc availability, 256
Zinc deficiency, 461, 573
Zinc status, 346